

Intra-annual Tree Growth Response to Warming along an Elevational Gradient

Inauguraldissertation
der Philosophisch-naturwissenschaftlichen Fakultät
der Universität Bern

vorgelegt von
Gregory M. King
von Nova Scotia, Canada

Leiter der Arbeit:
Prof. Dr. Fortunat Joos
Universität Bern

Dr. David C. Frank
Eidgenössische Forschungsanstalt für Wald, Schnee und Landschaft (WSL)

Von der Philosophisch-naturwissenschaftlichen Fakultät angenommen.

Bern, Switzerland
2 May 2014

Der Dekan:
Prof. Dr. Silvio Decurtins

Table of Contents

Summary	i
Chapter 1	
Introduction	1
Chapter 2	
Tree growth response along an elevational gradient: climate or genetics?	13
Chapter 3	
Climatic drivers of hourly to yearly tree radius variations along a 6°C natural warming gradient	33
Chapter 4	
Convergence of leaf and cambial growth phenology sensitivity to temperature	49
Chapter 5	
Intra-annual dynamics of non-structural carbohydrates in the cambium of mature conifer trees reflect radial growth demands	67
Chapter 6	
Synthesis	81
References	87
Affiliations of Co-Authors	109
Acknowledgements	110
Erklärung	113
Curriculum Vitae	114

List of Figures

Figure 1.1. Wood cross-section of pine and scheme illustrating cell production in the cambial zone	5
Figure 1.2. Microsection photographs of <i>Larix decidua</i> and <i>Picea abies</i> .	6
Figure 1.3. Pictures of dendrometers.	7
Figure 1.4. Air temperature increases projected from climate model simulations.	9
Figure 1.5. Mixed coniferous forest found on the slopes of the Lötschental.	10
Figure 2.1: Map showing the location of the sampling area.	15
Figure 2.2: Temperature and precipitation anomalies for the period 1901-2009.	18
Figure 2.3: Site averaged raw and standardized tree-ring width (TRW) chronologies.	19
Figure 2.4: Pearson correlation of pairwise tree standardized TRW series and pairwise genetic relatedness of individual trees across both slopes.	20
Figure 2.5: Pearson correlation between standardized TRW indices and gridded climate data	22
Figure 2.6: Pearson correlations plotted as a function of mean annual temperature for sites across Europe and within the Lötschental.	23
Supplementary Figure 2.1. Raw ring width and chronology statistics plotted by calendar year.	27
Figure 3.1: Map of study location.	35
Figure 3.2: Temperatures and precipitation records for the study location.	36
Figure 3.3: A schematic of the diurnal cycle of stem radius (DR).	37
Figure 3.4: Hourly stem radius records at a single site and as site averages.	38
Figure 3.5: Stem contraction events and air temperatures.	39
Figure 3.6: Monthly mean circadian cycle for five sites.	40
Figure 3.7: Relation between diurnal cycle amplitude and air temperature.	42
Figure 3.8: Monthly mean circadian cycle for primary meteorological drivers.	43
Figure 3.9: Mean circadian cycles grouped by the number of days since the last precipitation event.	45
Figure 4.1. Map and digital elevation model of study location.	51
Figure 4.2. Photographs of stained thin-sections prepared from microcores.	52
Figure 4.3. Spaghetti plots of general additive model (GAM) curve fits.	53
Figure 4.4. Inter-annual dynamics of leaf and stem growth along the elevational transect.	57
Figure 4.5. Stem growth onset and leaf phenology compared against spring air temperature anomalies.	59
Figure 4.6. Histograms of the regression coefficients (days/°C) for stem growth and spring temperature.	60

Supplementary Figure 4.1. Comparison of different knot numbers in the general additive models.	63
Supplementary Figure 4.2. Example of generalized additive model (GAM) fits for cell count data.	63
Supplementary Figure 4.3. Linear models of growth onset both including and excluding N08.	64
Supplementary Figure 4.4. Larch leaf colouration timing compared against September air temperature anomalies.	64
Figure 5.1: Number of cells in each cell phase during the growing season.	72
Figure 5.2: Concentration of non-structural carbohydrates in the cambial zone.	74
Figure 5.3: Individual non-structural carbohydrates concentrations in the cambial zone.	76