

MAIZE: ORIGIN, DOMESTICATION, AND ITS ROLE IN THE DEVELOPMENT OF CULTURE

DUCCIO BONAVIA

Translated by JAVIER FLORES ESPINOZA
with appendix by ALEXANDER GROBMAN



CAMBRIDGE
UNIVERSITY PRESS

Contents

<i>Figures List</i>	page xi
<i>Acknowledgments from the Spanish Edition</i>	xiii
<i>Acknowledgments to the English Edition</i>	xvii
1 The Maize Problematic	1
<i>The Geographical Distribution of Maize</i>	6
<i>Description of the Plant</i>	6
<i>Origin of the Name</i>	7
<i>Taxonomy</i>	8
2 Maize as Seen by Europeans	14
<i>The First News</i>	14
<i>Early Data on Maize in South America</i>	17
<i>A History of the Name</i>	18
3 The Origin of Maize	22
<i>Wild Maize</i>	23
<i>Teosinte</i>	24
<i>Tripsacum</i>	32
<i>The Hypotheses Regarding the Origins of Maize: Proposals and Counterproposals</i>	38
<i>Less Important Hypotheses</i>	48
<i>Tripsacum as a Hybrid of Maize and Manisuris</i>	53
<i>A Comprehensive Overview</i>	53
<i>The Fossil Pollen from Bellas Artes (Mexico)</i>	55
4 The Domestication of Maize	61
<i>The Hypothesis of Domestication in Mesoamerica Alone</i>	62
<i>The Hypothesis of Independent Domestication in the Mesoamerican and Andean Areas</i>	66
<i>Causes That Led to Domestication</i>	77
<i>Causes That Led to the Disappearance of Wild Maize</i>	78
<i>Factors That Brought about the Major Evolutionary Changes in Maize</i>	78
<i>The Diffusion of Maize to South America</i>	79

	<i>Genetic Information</i>	88
	<i>Chromosome Knobs</i>	106
	<i>Pollen</i>	113
	<i>Phytoliths</i>	115
5	The Archaeological Evidence	118
	<i>Canada</i>	119
	<i>United States</i>	119
	<i>Mexico</i>	122
	<i>Guatemala</i>	138
	<i>Belize</i>	139
	<i>Honduras</i>	139
	<i>El Salvador</i>	139
	<i>Costa Rica</i>	139
	<i>Panama</i>	140
	<i>Dominican Republic</i>	142
	<i>Puerto Rico</i>	143
	<i>Venezuela</i>	143
	<i>Colombia</i>	144
	<i>Ecuador</i>	145
	<i>Peru</i>	156
	<i>Chile</i>	210
	<i>Brazil</i>	215
	<i>Uruguay</i>	215
	<i>Argentina</i>	216
6	The Role of Maize in Andean Culture	221
7	Maize as Seen by the First Europeans	234
8	The Dispersal of Maize around the World	250
9	Chicha	258
10	Discussion and Conclusions	272
	<i>Appendix. Origin, Domestication, and Evolution of Maize: New Perspectives from Cytogenetic, Genetic, and Biomolecular Research Complementing Archaeological Findings</i>	329
	ALEXANDER GROBMAN	
	<i>Introduction</i>	329
	<i>Maize Origin, Domestication, and Evolution</i>	330
	<i>Theories on the Descent of Maize and Its Relatives: I</i>	333
	<i>Maize Domestication and the <i>tb1</i> Gene</i>	358
	<i>Theories on the Descent of Maize and Its Relatives: II</i>	360
	<i>Origin and Preservation of Maize Genes</i>	366
	<i>Allelic Diversity in Maize Gene Sequences</i>	368
	<i>The Early Phases of Maize Domestication</i>	370
	<i>Reduction of the Variability of Maize after Domestication</i>	372
	<i>Anthocyanin Synthesis and Its Relation to Maize Evolution</i>	373

<i>The Evolution of Inflorescence Development in Maize and Teosinte</i>	376
<i>The Directional Evolution of Microsatellite Size in Maize</i>	377
<i>Evidence of Teosinte Introgression</i>	379
<i>Biochemical Techniques Used in the Taxonomy of the Maydeae</i>	384
<i>Gene Evolution and Species Evolution</i>	384
<i>Plant Molecular Genetics and the Need for Additional Research</i>	389
<i>Estimation of Gene Number in Maize</i>	390
<i>B Chromosomes and the Evolution of Maize</i>	392
<i>miRNA in Maize</i>	399
<i>The Structure of the Maize Plant</i>	400
<i>Key Genes Involved and Their Variation in the Process of Maize Domestication</i>	402
<i>Supergenes</i>	415
<i>Domestication Genes</i>	416
<i>Protracted Age of Plant Domestication</i>	419
<i>The Origin of Genome Diversity in Maize</i>	423
<i>Gene Duplication</i>	423
<i>The Role of Gene Flow in Plant Speciation</i>	431
<i>The Effect of Cytoplasm on the Evolution of Zea</i>	435
<i>Maize Chromosome Divergence</i>	439
<i>The Evolution of the Maize Nuclear Genome</i>	443
<i>Genomic Imprinting</i>	447
<i>Recent Research on the Races of Maize</i>	451
<i>Transposons or Transposable Elements</i>	456
<i>Paramutation</i>	463
<i>Heterochromatin</i>	465
<i>Chromosome Knobs</i>	466
<i>The Time of Arrival of Maize in South America</i>	474
<i>Final Thoughts</i>	476
<i>Concluding Statement</i>	484
<i>Afterword</i>	487
<i>Bibliography</i>	489
<i>Index</i>	559

Figures List

1.1.	A sample of modern maize specimens.	<i>page</i> 12
1.2.	Another sample of modern maize specimens.	13
2.1.	One of the earliest drawings of maize made in Europe.	19
3.1.	The various hypotheses regarding the origin and variability of maize according to Alexander Grobman.	41
5.1.	Cobs from the Tehuacán Valley, Mexico, showing the full evolutive sequence of domestication from c. 5000 BC (the small cob, on the left) to AD 1500 (the largest cob, on the right).	128
5.2.	The Guilá Naquitz Cave, 5 km to the northwest of Mitla (Mexico).	134
5.3.	A Proto-Confite Morocho cob fragment with eight rows of kernels and prominent outer glumes, apparently coriaceous (Cerro Guitarra).	161
5.4.	A Proto-Confite Morocho cob with eight rows of kernels (Cerro Guitarra).	161
5.5.	A reconstruction of Los Gavilanes (Huarney) by Félix Caycho Quispe, following guidelines laid down by Duccio Bonavia.	167
5.6.	A tassel with primary branches distributed along a central branch that ends in a formation of virtually polystichous spikelets from Los Gavilanes.	170
5.7.	A Proto-Confite Morocho cob showing soft and extended membranous glumes of a semi-tunicate type (Los Gavilanes).	171
5.8.	A typical Confite Chavinense cob with 16 irregular rows, fasciated, with large glumes and slightly tripsacoid (Los Gavilanes).	171
5.9.	Three Confite Chavinense cobs that correspond to semispherical, short-length ears, similar in length to the remains found in the most ancient strata at Tehuacán (Mexico) (Los Gavilanes).	172

5.10.	A typical Proto-Kculli cob from Los Gavilanes.	173
5.11.	An ideotype of ramified ears that may have been the original form of wild maize, with axillary hermaphroditic inflorescences.	174
5.12.	Pollen grain, Los Gavilanes, Epoch 2, with its surface enlarged by 10,000 and showing the uniform distribution of the spinules. This corresponds to a pure maize.	175
5.13.	Pollen grain, Los Gavilanes, Epoch 2, with its surface enlarged by 10,000 and showing the loss of the spinules (see arrow), which according to Umesh Banerjee indicates a relation with <i>Tripsacum</i> .	177
5.14.	A fragment of a preceramic cob (ASID-1 = 2) from Áspero. It is an evolved form of Proto-Confite Morocho.	183
5.15.	A fragment of a preceramic cob (ASIV-3 = 3) from Áspero. It is a more evolved race than Proto-Confite Morocho and may mark the transition toward more advanced races.	183
5.16.	A preceramic cob from Áspero (ASIV-4 = 5) with 10 spiraling irregular rows, possibly of a purple cob color and an overall cylindrical form, with horny glumes. It is a race that is more evolved than Proto-Confite Morocho.	184
6.1.	A drawing by Felipe Guaman Poma de Ayala (1936: 1047 [1157]) showing the harvest of maize in May, "... when they have to pile up the maize, peel it and shell it, removing the seeds and having the best maize placed aside to eat, and setting out the worst to make chicha...."	223
6.2.	A drawing by Felipe Guaman Poma de Ayala (1936: 776 [792]) showing a cacique <i>principal</i> (Indian chieftain).	228
9.1.	A drawing from Girolamo Benzoni's <i>Historia del Mondo Nuovo</i> . It shows Indians preparing hicha in the Antilles.	259
A.1.	A phylogeny of selected grass tribes and species.	445