

# Subsistence and Society in Prehistory

New Directions in Economic Archaeology

**ALAN K. OUTRAM**

University of Exeter

**AMY BOGAARD**

University of Oxford



**CAMBRIDGE**  
UNIVERSITY PRESS

Contents

<i>List of Figures</i>	<i>page</i> x
<i>List of Table</i>	xiii
<i>Preface</i>	xv
1 Introduction . . . . .	1
<i>The Origins and Development of Economic</i>	
<i>Prehistory</i>	4
<i>Key Legacies of the Palaeoeconomy School</i>	7
<i>Criticism of Economic Approaches and its Impact</i>	19
2 Is Determinism Dead? . . . . .	23
<i>Key Models</i>	25
Site Catchment Analysis	25
Optimal Foraging Theory	29
<i>Models of Ecological Productivity, Predictability</i>	
<i>and Territoriality</i>	37
Carrying Capacity and Population Growth	42
Niche Construction Theory	46
<i>Conclusion: Constraints, Frames of Reference</i>	
<i>and Metanarratives</i>	46
3 Incorporating New Methods I: The Stable	
Isotope Revolution . . . . .	50
‘You are What You Eat’ and Beyond – Reconstructing	
Plant, Animal and Human Diet, Foodways, Health	
and Husbandry	52
‘You are Where and When You Eat’ – Migration,	
Seasonality and Socioeconomic Landscapes	66

Ongoing Revolution – Compound-Specific Stable  
Isotope Analysis and Novel Proxies 72  
Conclusion 73

4 Incorporating New Methods II: Residue Chemistry . . . . . 75  
Lipid Residues and Zooarchaeology: Critical  
Comparison 77  
Lipid Residues and Archaeobotany 93  
Protein Residues 94  
Conclusion 97

5 Incorporating New Methods III: Answering  
Palaeoeconomic Questions with Molecular  
Genetics . . . . . 99  
Archaeogenetics and Economic Questions 100  
Pitfalls and How to Avoid Them 110  
At the Cutting Edge and Future Directions 118  
Genotypes and Phenotypes: Integrating Genomics  
with Geometric Morphometrics (GMM) 118  
Epigenetics and Microbiomes 119  
Conclusion 121

6 Incorporating New Methods IV: Phytoliths and  
Starch Grains in the Tropics and Beyond . . . . . 123  
Phytoliths, Starch and Early Agriculture in the  
(Sub)tropics 124  
Phytolith and Starch Taphonomy: A Critical  
Comparison 129  
Integrating Phytolith, Starch and Macrobotanical  
Studies 132

7 Integrated Case Study I: Early Farming in  
Central Europe. . . . . 137  
LBK Economy 139  
Neolithic Economy in the Alpine Foreland, with  
Particular Reference to Lake Constance 155  
Integrated Perspectives on Identity and Inheritance  
in Neolithic Central Europe 159

8 Integrated Case Study II: Horse Domestication  
and the Origins of Pastoralism in Central Asia . . . . . 163  
Setting the Scene: The Later Prehistory of Northern  
and Central Kazakhstan 165  
Horse Domestication 169

	<i>Pastoralism in Bronze Age Kazakhstan: Mobility and Environment</i>	184
	<i>Social Zooarchaeology of Horses in the Steppes</i>	189
9	<i>Conclusion . . . . .</i>	195
	<i>Revisiting Key Palaeoeconomic Ideas and Methods</i>	197
	<i>Striking a Balance in Theoretical Approach</i>	201
	<i>Next Generation Challenges</i>	203
	<i>Conclusion</i>	207
	<i>References</i>	209
	<i>Index</i>	265

## Figures

1.1	Clark's 1939 model depicting the relationship between economic basis and other key factors of past society. . . . .	<i>page</i> 5
1.2	Site catchment analysis of a series of late Neolithic and early Bronze Age sites from Central Macedonia . . . . .	9
1.3	Different models for agricultural frontiers . . . . .	11
1.4	Models showing expected kill-off patterns of caprines if managed to maximize production of meat, milk or wool . . . . .	14
2.1	Diet breadth model. . . . .	31
2.2	Marginal value theorem . . . . .	35
2.3	Economic defensibility model . . . . .	38
2.4	Model for risk and variance reduction amongst foragers . . . . .	40
2.5	Model for risk and variance reduction amongst hunter-gatherer groups . . . . .	41
2.6	Model relating population density to episodes of population control, changes in resource-use and productivity . . . . .	45
3.1	The relationship between $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values in organisms with different diets . . . . .	54
4.1	Graph of compound-specific $\delta^{13}\text{C}$ values of $\text{C}_{16:\omega}$ and $\text{C}_{18:\omega}$ fatty acids in reference animal fats from Britain . . . . .	80

4.2	$\Delta^{13}\text{C}$ values showing fractionation that distinguishes ruminant milk, ruminant adipose and non-ruminant equine and porcine fats . . . . .	81
4.3	Graph modelling the effects of admixture of lipid residues from different sources . . . . .	84
5.1	Photograph showing removal of the petrosal bone from an Eneolithic horse cranium . . . . .	113
7.1	Map of Central Europe showing the regions and key sites mentioned in Chapter 7 . . . . .	140
7.2	Charred (carbonized) arable weed seeds, extracted from a sample of the charred chaff-rich by-product of glume wheat dehushing, from LBK Vaihingen an der Enz, Baden-Württemberg . . . . .	145
7.3	Modern cereal fields representing different kinds of production system: <i>a.</i> small-scale spelt fields in Asturias, Spain, managed with high labour inputs per unit area; <i>b.</i> large-scale einkorn fields in Haute Provence, France, managed with low labour inputs per unit area . . . . .	146
7.4	The relationship of <i>a.</i> Haute Provence and Asturias fields, <i>b.</i> Sighisoara fields, <i>c.</i> Kastamonu fields and <i>d.</i> archaeobotanical samples from Neolithic Central Europe to the discriminant function extracted to distinguish the Haute Provence and Asturias groups on the basis of semi-quantitative (presence/absence) weed functional attribute scores . . . . .	147
7.5	The $\delta^{15}\text{N}$ values of bulk cereal grain and pulse seed samples from LBK Vaihingen and Viesenhäuser Hof, Baden-Württemberg . . . . .	150
7.6	Head of a clay bull figurine decorated with incised lines from LBK Vaihingen an der Enz . . . . .	152
7.7	Distribution of Sr isotope ratios in cattle teeth at LBK Vaihingen by <i>a.</i> LBK subperiod and <i>b.</i> regional ceramic tradition, in comparison with <i>c.</i> proportional areas of dominant geological substrates: loess, shelly limestone ( <i>Muschelkalk</i> ) and Keuper sandstone . . . . .	153

7.8	Palaeodietary models estimating the proportion of animal protein in the diets of Neolithic humans buried at LBK Vaihingen and Viesenhäuser Hof. . . . .	154
7.9	Simulations of the spatial extents of two different arable land-use models at Sipplingen, Lake Constance: <i>a.</i> intensive garden cultivation; <i>b.</i> shifting cultivation with long fallow. . . . .	157
7.10	The $\delta^{15}\text{N}$ values of bulk cereal grain and pulse seed samples through the occupation of Sipplingen, Lake Constance, <i>c.</i> 4000–2800 BC . . . . .	158
8.1	Map centred on modern day Kazakhstan showing key sites referred to in Chapter 8 . . . . .	166
8.2	Photograph of a potentially pole-axed horse cranium from Botai . . . . .	173
8.3	Photograph of bit wear identified on a stallion from Botai . . . . .	177
8.4	Graph of compound-specific $\delta\text{D}$ values of modern horse milk and meat from Kazakhstan. . . . .	178
8.5	Graph of compound-specific $\delta^{13}\text{C}$ values of modern reference animal fats from Kazakhstan . . . . .	179
8.6	Graph of compound-specific $\delta\text{D}$ values in lipid residues extracted from Botai pottery. . . . .	180
8.7	Photograph of horse being milked in Kazakhstan.. . . .	181
8.8	Correspondence analysis of proportions of species at a set of Bronze Age settlements in Kazakhstan and the Trans-Ural region.. . . .	189
8.9	<i>a.</i> Graph of proportions of animal bones of different species at Lisakovsk settlement and cemetery. <i>b.</i> Pie charts of proportions of pots containing equine vs. ruminant lipid residues at late Bronze Age settlement and cemetery sites. . . . .	193
8.10	Photograph of pottery vessels with bronze staple repairs in a grave at Temirkash, Kazakhstan. . . . .	194

Table

6.1 Summary of some of key parameters defining  
potentials and limitations of forms of  
botanical evidence. . . . . *page* 134